Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S87	2	(("20030151453") or ("5990654")). PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/03/03 18:41
S88	117	((adjust\$4 increas\$4 decreas\$4 chang\$4 ) near4 ( voltage near4( supply\$4 source))) and (pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command) near4 current) and (current near4 source) and (voltage near4 source) and (propagat\$4 near4 delay) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 18:59
S74	23	(adjust\$4 near4 ( current near4 (supply\$4 source))) and ((adjust\$4 increas\$4 decreas\$4 chang\$4 ) near4 ( voltage near4( supply\$4 source))) and (pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command) near4 current) and (current near4 source) and (voltage near4 source) and ( propagat\$4 near4 delay) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 18:59
S90		"318"/\$.ccls. and (pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command) near4 current) and (current near4 source) and (voltage near4 source) and ( propagat\$4 near4 delay) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:01

						·
S89		"318"/\$.ccls. and ((adjust\$4 increas\$4 decreas\$4 chang\$4 ) near4 ( voltage near4( supply\$4 source))) and (pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command) near4 current) and (current near4 source) and (voltage near4 source) and ( propagat\$4 near4 delay) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:01
S92	0	"318"/\$ and (pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command desir\$4) near4 current) and (current near4 source) and (voltage near4 source) and (propagat\$4 near4 delay) and (line near4 impedance) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:06
S91	9	"318"/\$ and (pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command desir\$4) near4 current) and (current near4 source) and (voltage near4 source) and (propagat\$4 near4 delay) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:06
S93		(pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command desir\$4) near4 current) and (current near4 source) and (voltage near4 source) and ( propagat\$4 near4 delay) and (line near4 impedance) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:18

S96	4	(pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command desir\$4) near4 current) and ( propagat\$4 near4 delay) and (line near4 impedance) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:20
S94	4	(pwm puls\$4 ) and ((target reference command) near4 voltage) and ((target reference command desir\$4) near4 current) and (current near4 source) and (voltage near4 source) and ( propagat\$4 near4 delay) and (line near4 impedance) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/03 19:20
S98	30	S93 not S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:38
S97	13	(pwm puls\$4 ) and ( propagat\$4 near4 delay) and (line near4 impedance) and ((sens\$4 measur\$4 detect\$4 monitor\$4 determin\$4 obtain\$4) near4 (current and voltage)) and error and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:38
L2	2	"7072194"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/04 00:23
L1	1	"7072194"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/04 00:23

L3	61	(US-20010045863-\$ or US-20020024313-\$ or	US-PGPUB; USPAT;	OR	ON	2007/03/04 00:25
		US-20050024132-\$ or	JPO			
		US-20030151453-\$ or			}	
		US-20010009435-\$).did. or			}	)
		(US-6166503-\$ or US-6954044-\$ or				
		US-6316920-\$ or US-7072194-\$ or				
		US-7068005-\$ or US-5519306-\$ or			,	,
		US-4757241-\$ or US-4052642-\$ or			!	и.
		US-4673852-\$ or US-5486993-\$ or				
		US-5585708-\$ or US-5526252-\$ or		,		
		US-5567994-\$ or US-5625539-\$ or		1		·
		US-5654880-\$ or US-5708312-\$ or				
		US-5805438-\$ or US-5686806-\$ or				
		US-5831410-\$ or US-5808880-\$ or				
!		US-5852551-\$ or US-5886888-\$ or		Ì	İ	
	-	· · · · · · · · · · · · · · · · · · ·				
-		US-5905644-\$ or US-6873240-\$ or				
		US-5959431-\$ or US-6084378-\$).				
		did. or (US-6249108-\$ or				
		US-5936435-\$ or US-5990654-\$ or				
		US-6949896-\$ or US-6710580-\$ or				
		US-6744648-\$ or US-6727602-\$ or				
		US-6756702-\$ or US-6794929-\$ or				
		US-6801068-\$ or US-6839249-\$ or				
		US-6826062-\$ or US-6898092-\$ or				
		US-6917271-\$ or US-6876169-\$ or				
		US-5914866-\$ or US-6320768-\$ or		٠.		
		US-6566764-\$ or US-6594416-\$ or				
		US-6509708-\$ or US-RE37589-\$ or				
		US-6351104-\$ or US-6636107-\$ or				
		US-6603280-\$ or US-6178101-\$ or				·
		US-6529229-\$ or US-5185736-\$).				
		did. or (US-4162536-\$ or			1.	
		US-6496037-\$).did. or				
		(JP-11191928-\$).did.				
L5	15	3 and impedance and propagat\$4	US-PGPUB;	OR	ON	2007/03/04 00:27
[]	13	and puls\$4 and error	USPAT;	•		
		and paist rand error	EPO; JPO			
		•	,			
L6	37	3 and "318"/\$ .	US-PGPUB;	OR	ON	2007/03/04 00:41
		·	USPAT;			
			EPO; JPO			
L4	17	3 and impedance and propagat\$4	US-PGPUB;	OR	ON	2007/03/04 00:41
"	"	o and impedance and propagates	USPAT;	5.0	```	2007,007,017
-			EPO; JPO			•
L8	0	(puls\$4 and compensator and	US-PGPUB	OR	ON ·	2007/03/04 00:51
		impedance and propagation).clm.				
1.7	22	3 and "318"/\$7.ccls.	US-PGPUB;	OR	ON	2007/03/04 00:51
L7	22	3 and 310 /\$/.ccis.	USPAT;	OK	014	2007/03/04 00.31
			EPO; JPO			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	0	(puls\$4 and compensator and impedance and propagation).clm.	US-PGPUB	OR	ON	2007/03/04 00:51